# **Safety Data Sheet**



Zep, Inc. 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-877-I-BUY-ZEP (428-9937) www.zep.com

# Section 1. Chemical Product and Company Identification

Product name ZEP METER MIST CINNAMON

(GreenLink)

**Product use** Aerosol Room Deodorizer/Odor Counteractant

Product code 3271

Date of issue 11/01/11 Supersedes 12/14/09

19

HENDRICKSON TRAILER SUSPENSION SYSTEM RESEARCH AND DEVELOPMENT 1626 11TH ST SE CANTON OH 44707-3350

#### **Emergency Telephone Numbers**

For MSDS Information:

Compliance Services 1-877-I-BUY-ZEP (428-9937)

ENT

For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded

In the District of Columbia (202) 483-7616

Printing date: 12/22/11

**Prepared By** 

Compliance Services

1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

#### Section 2. Hazards Identification

**Emergency overview** 

\*Hazard Determination System (HDS): Health, Flammability, Reactivity

WARNING

MAY CAUSE EYE IRRITATION.

CONTENTS UNDER PRESSURE.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects

Routes of Entry

Eye contact. Inhalation.

**Eyes** Direct contact may cause irritation and redness. Inflammation of the eye is characterized by

redness, watering and itching.

**Skin** May cause skin irritation. Skin inflammation is characterized by itching, scaling, or reddening. **Inhalation** Avoid direct inhalation of spray. Over-exposure by inhalation may cause respiratory irritation.

**Ingestion** May be harmful if swallowed. Aspiration hazard if swallowed. Can enter lungs and cause

damage.

Chronic effects

Contains material which may cause damage to the following organs: kidneys, liver, central

nervous system (CNS).

Carcinogenicity

No known significant effects or critical hazards.

Product/ingredient name

Not available.

#### Additional Information: See Toxicological Information (Section 11)

#### Section 3. Composition/Information on Ingredients Name of Hazardous Ingredients % by Weight CAS number ACETONE; dimethyl ketone 55 - 65 67-64-1 PROPANE; liquefied petroleum gas 74-98-6 20 - 30ETHANOL; ethyl alcohol; grain alcohol 64-17-5 1 - 10PROPYLENE GLYCOL; 1,2-dihydroxypropane,1,2-propanediol 57-55-6 1 - 10

#### Section 4. First Aid Measures

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and

remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention immediately.

**Skin Contact** Rinse with plenty of running water. Get medical attention if irritation develops.

**Inhalation** Move exposed person to fresh air. If irritation persists, get medical attention.

**Ingestion** Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be

kept low so that vomit does not enter the lungs. If affected person is conscious, give plenty of water to drink.

Never give anything by mouth to an unconscious person. Get medical attention immediat -1-

#### Section 5. Fire Fighting Measures

National Fire Protection Association (U.S.A.)

Flash Point

Not available.

Flammable Limits

Not available.

Flammability

Non-flammable. (CSMA Method)

Fire hazard

CONTENTS UNDER PRESSURE. In a fire or if heated, a pressure increase will occur and

the container may burst, with the risk of a subsequent explosion. Bursting aerosol containers

may be propelled from a fire at high speed.

Fire-Fighting Procedures

Use an extinguishing agent suitable for the surrounding fire. Cool closed containers exposed to

fire with water. Fire-fighters should wear appropriate protective equipment.

# Section 6. Accidental Release Measures

Spill Clean up Large spills are unlikely due to packaging.

# Section 7. Handling and Storage

Handling

Storage

Put on appropriate personal protective equipment (see section 8). Store and use away from heat, sparks, open flame or any other ignition source. Avoid contact with eyes, skin and clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Observe label precautions. Wash thoroughly after handling.

CONTENTS UNDER PRESSURE. Do not puncture, incinerate or store the container at temperatures above 49°C

(120°F) or in direct sunlight. Keep away from food, drink and animal feeding stuffs. Keep out of the reach of children.

# Section 8. Exposure Controls/Personal Protection

Product name

#### Exposure limits

ACETONE; dimethyl ketone

ACGIH TLV (United States, 2/2010).

TWA: 500 ppm 8 hour(s). TWA: 1188 mg/m<sup>3</sup> 8 hour(s). STEL: 750 ppm 15 minute(s). STEL: 1782 mg/m<sup>3</sup> 15 minute(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 750 ppm 8 hour(s). TWA: 1800 mg/m<sup>3</sup> 8 hour(s). STEL: 1000 ppm 15 minute(s). STEL: 2400 mg/m<sup>3</sup> 15 minute(s). NIOSH REL (United States, 6/2009). TWA: 250 ppm 10 hour(s)

TWA: 590 mg/m3 10 hour(s) OSHA PEL (United States, 6/2010). TWA: 1000 ppm 8 hour(s). TWA: 2400 mg/m<sup>3</sup> 8 hour(s).

PROPANE; liquefied petroleum gas

# ACGIH TLV (United States).

: 800 ppm 8 hour(s).

OSHA PEL (United States). TWA: 1000 ppm 8 hour(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 1000 ppm 8 hour(s). TWA: 1800 mg/m<sup>3</sup> 8 hour(s). NIOSH REL (United States, 6/2009). TWA: 1000 ppm 10 hour(s). TWA: 1800 mg/m3 10 hour(s) OSHA PEL (United States, 6/2010). TWA: 1000 ppm 8 hour(s). TWA: 1800 mg/m<sup>3</sup> 8 hour(s). ACGIH TLV (United States, 2/2010).

TWA: 1000 ppm 8 hour(s).

ETHANOL; ethyl alcohol; grain alcohol

NIOSH REL (United States, 6/2009).

TWA: 1000 ppm 10 hour(s). TWA: 1900 mg/m<sup>3</sup> 10 hour(s) OSHA PEL (United States, 6/2010). TWA: 1000 ppm 8 hour(s).

TWA: 1900 mg/m<sup>3</sup> 8 hour(s) ACGIH TLV (United States, 2/2010). STEL: 1000 ppm 15 minute(s).

OSHA PEL 1989 (United States, 3/1989).

TWA: 1000 ppm 8 hour(s). TWA: 1900 mg/m<sup>3</sup> 8 hour(s)

PROPYLENE GLYCOL; 1,2-dihydroxypropane,1,2-propanediol

AIHA WEEL (United States, 5/2010).

TWA: 10 mg/m<sup>3</sup> 8 hour(s).

#### Personal Protective Equipment (PPE)

Eyes

Recommended: Safety glasses.

Body

No special protective clothing is required.

**Respiratory** Avoid direct inhalation of spray. Use with adequate ventilation.

VO

#### Section 9. Physical and Chemical Properties

Physical State Liquid. [Aerosol.]
pH Not applicable

**Boiling Point** 55.6°C (132.1°F)

Specific Gravity 0.75 Solubility Very sl

Very slightly soluble in the following materials: cold

water and hot water.

Color Clear. Colorless.

Odor Cinnamon
Vapor Pressure Not determined.

Vapor Density Not determined. Evaporation Rate <1 (Water = 1)

VOC (Consumer) 223 g/l (29.8%)

# Section 10. Stability and Reactivity

Stability and Reactivity

The product is stable.

Incompatibility

Keep away from heat, sparks and flame. Slightly reactive or incompatible with the following

materials: oxidizing materials.

**Hazardous Polymerization** 

Will not occur.

Hazardous Decomposition Products carbon oxides (CO, CO<sub>2</sub>)

#### Section 11. Toxicological Information

#### **Acute Toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
acetone	LC50 Inhalation Vapor	Rat	16000 ppm	4 hours
	LD50 Dermal	Rabbit	20000 mg/kg	-
	LD50 Oral	Mouse	9750 mg/kg	-
	LD50 Oral	Rat	5800 mg/kg	-
ethanol	LC50 Inhalation Vapor	Rat	$20000 \text{ mg/m}^3$	4 hours
	LD50 Oral	Rat	7 g/kg	_
propane-1,2-diol	LD50 Dermal	Rabbit	208 mg/kg	_
	LD50 Oral	Dog	260 mg/kg	_
	LD50 Oral	Mouse	240 mg/kg	-
	LD50 Oral	Rat	200 mg/kg	_

# Section 12. Ecological Information

**Environmental Effects** 

Not available.

**Aquatic Ecotoxicity** 

Not available.

#### Section 13. Disposal Considerations

#### **Waste Information**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Non-hazardous waste

# Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label I
DOT Classification	None.	Consumer commodity ORM-D			
IMDG Class	Not determined.				

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG\*: Packing group

#### Section 15. Regulatory Information

#### U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

No products were found.

Clean Water Act (CWA) 307: No products were found. Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory,

United States inventory (TSCA 8b): All components are listed or exempted.

#### State Regulations

California Prop 65

No products were found.

# Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution.

Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

\*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.