

# **Material Safety Data Sheet**

Revision Date 22-Oct-2008

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product code DN4740

Product name SCANDAL SWIPES

Recommended Use Cleaner

**Supplier** Drummond American Corporation

600 Corporate Woods Parkway

Vernon Hills, IL 60061

(847) 913-9313

Emergency telephone number (888) 426-4851

## 2. HAZARDS IDENTIFICATION

**Emergency Overview** 

Flammable Liquid. Vapors irritating to eyes and respiratory tract.

Color Clear Odor Sweet Form Liquid on cloth towelette

Aggravated Medical Conditions Pre-existing skin conditions may be aggravated by exposure to this product. Pre-

existing lung disorders. Pre-existing kidney and/or liver disorders may be aggravated by exposure to this product. Impaired blood functions may be aggravated by use of

this product.

Principal Routes of Exposure Eyes. Ingestion. Inhalation. Skin.

Potential health effects

Eyes May cause the following effects:. Redness. Tearing. Burn.

**Skin** Chronic exposure causes drying effect on the skin . Redness. Repeated or prolonged

exposure may cause:. Severe irritation. Dermatitis. May be absorbed through the

skin in harmful amounts.

**Inhalation** Dizziness. Fatigue. Loss of coordination. May cause irritation of the nose and throat.

Upper respiratory tract irritation. Central nervous system effects. Misuse by deliberately concentrating vapors and inhaling contents can be harmful or fatal.

**Ingestion** May cause the following effects. Drowsiness . Dizziness. Fatigue. Loss of

coordination.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

The following component(s) in this product are considered hazardous under applicable OSHA(USA) and/or WHMIS(Canada) regulations.

Chemical Name	CAS-No	Weight %
Water	7732-18-5	15-40
Dimethyl Glutarate	1119-40-0	15-40
Dimethyl Adipate	627-93-0	10-30
Tripropylene Glycol Methyl Ether	25498-49-1	10-30
Acetone	67-64-1	7-13
Propylene glycol monomethyl ether	107-98-2	7-13
2-Butoxyethanol	111-76-2	5-10
n-Amyl acetate	628-63-7	3-7
Dimethyl Succinate	106-65-0	3-7

## 4. FIRST AID MEASURES

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Call a physician immediately.

**Skin contact** Flush area with water for 15 minutes. Remove and wash contaminated clothing

before re-use. Seek medical attention if irritation persists.

**Ingestion** Call a physician or Poison Control Center immediately. Do not induce vomiting

without medical advice. Never give anything by mouth to an unconscious person.

**Inhalation** Move to fresh air. Provide oxygen or artificial respiration if necessary. If symptoms

persist, call a physician.

## 5. FIRE FIGHTING MEASURES

Flash point °C 17.78 Flash point °F 64

Method Pensky-Martens C.C.

Autoignition temperature °C No data available
Autoignition temperature °F No data available

Flammability Limits (% in Air)

Upper No data available
Lower No data available

### Suitable extinguishing media

Carbon dioxide. Dry chemical. Foam. Water fog.

# Special protective equipment for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## **Special Fire-Fighting Procedures**

Treat as a fuel oil fire.

### Fire and Explosion Hazards

Combustible liquid on towel. Water should be used to cool closed containers to prevent pressure build-up and possible autoignition or explosion when exposed to extreme heat . Do not release run-off from fire control methods to sewers or waterways.

Hazardous decomposition

See Section 10

products

**Sensitivity to shock**No information available.

**Sensitivity to static discharge**No information available.

## 6. ACCIDENTAL RELEASE MEASURES

#### Methods for cleaning up

Do not allow product to reach sewage system, soil, surface or ground water, or any water course. Notify proper authorities if entry occurs. Dike or dam large spills. Soak up excess with absorbent material. Pick up and transfer to properly labelled containers.

## 7. HANDLING AND STORAGE

#### Handling

Ensure adequate ventilation. Keep away from open flames, hot surfaces and sources of ignition. Do not cut, drill, grind, or weld near containers. Do not get on skin or in eyes. Thoroughly wash hands and exposed skin after handling. Do not swallow. Do not smoke while using. Avoid breathing vapors. Use only according to label directions. Keep out of reach of children. Keep container closed when not in use.

#### Storage

Keep away from heat and sources of ignition. Keep in a dry, cool and well-ventilated place. Keep away from food, beverages, and feed. Keep out of the reach of children.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Exposure limits**

Chemical Name	OSHA PEL (TWA)	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Dimethyl Glutarate	-	-	-	-
Water	-	-	-	-
Tripropylene Glycol	-	-	-	-
Methyl Ether				
Dimethyl Adipate	-	-	-	-
Propylene glycol	-	-	100 ppm	150 ppm
monomethyl ether				
2-Butoxyethanol	240 mg/m <sup>3</sup>	-	20 ppm	-
	50 ppm			
Acetone	1000 ppm	-	500 ppm	750 ppm
	2400 mg/m <sup>3</sup>			
Dimethyl Succinate	-	-	-	-
n-Amyl acetate	100 ppm	-	50 ppm	100 ppm
	525 mg/m <sup>3</sup>			

#### **Ventilation and Environmental Controls**

Adequate ventilation should be provided to keep exposure levels below current acceptable exposure limits.

### **Hygiene measures**

General industrial hygiene practice.

## Personal protective equipment

#### Respiratory protection

None required if adequate ventilation is provided. Use NIOSH approved respirator if TLV limit is exceeded.

#### **Hand Protection**

Impervious gloves.

#### Eye protection

ANSI approved safety glasses or splash goggles are recommended.

### Skin and body protection

None necessary under normal conditions

### **Other Protective Equipment**

Wear appropriate clothing to minimize skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form** Liquid on cloth towelette Color Clear Odor Sweet **Odor Threshold** No information available Hq 6.3 **Specific Gravity** 0.986 Vapor pressure No data available Vapor density >1 (Air = 1) **Evaporation Rate** No data available **VOC Content** 295.80 g/l; 30% Water solubility Miscible **Partition Coefficient** No data available (n-octanol/water)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling point/range °C > 100 Boiling point/range °F > 212

Melting point/range °C No data available Melting point/range °F No data available

Flash point °C 17.78 Flash point °F 64

# 10. STABILITY AND REACTIVITY

## **Stability**

Stable.

#### Conditions to avoid

Avoid heat, sparks, and other sources of ignition.

### Incompatability

Alkalis. Acids. Oxidizers. Hydroxides.

## **Hazardous Decomposition Products**

Carbon dioxide. Carbon monoxide. smoke. Soot. Various organic oxidation by-products.

## **Polymerization**

Hazardous polymerization does not occur.

# 11. TOXICOLOGICAL INFORMATION

#### **Component Information**

Chemical Name	LD50 (oral,rat)	LD50 (dermal,rat/rabbit)	LC50 (inhalation,rat)
Dimethyl Glutarate	8191 mg/kg	8191 mg/kg	8191 mg/kg
1119-40-0	5.6 mg/L	5.6 mg/L	5.6 mg/L
Water	90 mL/kg	90 mL/kg	90 mL/kg
7732-18-5			
Tripropylene Glycol Methyl	15440 mg/kg	15440 mg/kg	15440 mg/kg
Ether	3184 mg/kg	3184 mg/kg	3184 mg/kg
25498-49-1			
Dimethyl Adipate	1920 mg/kg	1920 mg/kg	1920 mg/kg
627-93-0			
Propylene glycol monomethyl	13000 mg/kg	13000 mg/kg	13000 mg/kg
ether	5200 mg/kg	5200 mg/kg	5200 mg/kg
107-98-2	54.6 mg/L	54.6 mg/L	54.6 mg/L
	24 mg/L	24 mg/L	24 mg/L
2-Butoxyethanol	2.21 mg/L	2.21 mg/L	2.21 mg/L
111-76-2	220 mg/kg	220 mg/kg	220 mg/kg
	2270 mg/kg	2270 mg/kg	2270 mg/kg
	450 ppm	450 ppm	450 ppm
	470 mg/kg	470 mg/kg	470 mg/kg
Acetone	5800 mg/kg	5800 mg/kg	5800 mg/kg
67-64-1			
Dimethyl Succinate	5000 mg/kg	5000 mg/kg	5000 mg/kg
106-65-0			
n-Amyl acetate	1600 mg/kg	1600 mg/kg	1600 mg/kg
628-63-7			

## **Synergistic Products**

None known

### Potential health effects

Sensitization None known.

**Mutagenic effects** None known.

Reproductive toxicity None known.

**Chronic toxicity** 

See Section 2.

**Teratogenic effects** 

None known.

**Target Organ Effects** 

None Known.

## **Carcinogenic effects**

See table below

Chemical Name	ACGIH OEL -	IARC	NTP - Known	NTP - Suspected	OSHA RTK
	Carcinogens		Carcinogens	Human	Carcinogens
				Carcinogens	
Dimethyl Glutarate	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Water	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Tripropylene Glycol Methyl	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Ether					
Dimethyl Adipate	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Propylene glycol monomethyl	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
ether					
2-Butoxyethanol	A3 - Confirmed	Not Listed	Not Listed	Not Listed	Not Listed
	animal				
	carcinogen with				
	unknown				
	relevance to				
	humans				
Acetone	A4 - Not	Not Listed	Not Listed	Not Listed	Not Listed
	Classifiable as a				
	Human				
	Carcinogen				
Dimethyl Succinate	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
n-Amyl acetate	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed

# 12. ECOLOGICAL INFORMATION

**Dimethyl Glutarate** 

**Water Flea Data** 

Daphnia magna EC50122.1 - 163.5 mg/L (48 h)

Tripropylene Glycol Methyl Ether

**Water Flea Data** 

Daphnia magna EC50>10 mg/L (48 h)

Propylene glycol monomethyl ether

**Water Flea Data** 

water flea EC50=10457 mg/L (96 h)

## 2-Butoxyethanol

#### **Water Flea Data**

Daphnia magna LC501698 - 1940 mg/L (24 h) water flea EC50=1720 mg/L (24 h)

#### Acetone

#### **Microtox Data**

Photobacterium phosphoreum EC50=14500 mg/L (15 min)

#### **Water Flea Data**

water flea EC50=0.0039 mg/L (48 h) Daphnia magna EC50=12600 mg/L (48 h) water flea EC50=12700 mg/L (48 h)

# 13. DISPOSAL CONSIDERATIONS

### **Disposal Information**

Dispose in accordance with federal, state, and local regulations.

## Waste from residues / unused products

As supplied, this product is a RCRA Hazardous Waste.

# 14. TRANSPORT INFORMATION

#### DOT

Consumer commodity, ORM-D

### **TDG**

Consumer commodity, ORM-D

### **IMDG/IMO**

Consumer Commodity, ORM-D

## IATA

ID8000 Consumer commodity, 9

### **MEX**

Consumer Commodity, ORM-D

# 15. REGULATORY INFORMATION

Chemical Name	US EPA SARA 313 Emission Reporting
Tripropylene Glycol Methyl	Listed
Ether	
2-Butoxyethanol	Listed

Chemical Name	New Jersey - RTK	Pennsylvania - RTK	California Prop. 65
Dimethyl Glutarate	Not Listed	Not Listed	Not Listed
Water	Not Listed	Not Listed	
Tripropylene Glycol Methyl	Not Listed	Listed	Not Listed
Ether			
Dimethyl Adipate	Not Listed	Not Listed	Not Listed
Propylene glycol monomethyl	Listed	Listed	Not Listed
ether			
2-Butoxyethanol	Listed	Listed	Not Listed
Acetone	Listed	Listed	
Dimethyl Succinate	Not Listed	Not Listed	Not Listed
n-Amyl acetate	Listed	Listed	Not Listed

Chemical Name	EINECS	DSL	NDSL	TSCA
Dimethyl Glutarate	X	X	-	X
Water	X	X	-	X
Tripropylene Glycol Methyl Ether	X	X	-	X
Dimethyl Adipate	X	X	-	X
Propylene glycol monomethyl ether	X	X	-	X
2-Butoxyethanol	X	X	-	X
Acetone	X	X	-	X
Dimethyl Succinate	X	X	-	X
n-Amyl acetate	X	X	-	X

**CPRC** 

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all of the information required by the Controlled Product Regulations

# 16. OTHER INFORMATION

NFPA		HMIS	
Health	-	Health	2
Flammability	-	Flammability	3
Reactivity	-	Physical Hazard	0

## **Prepared By**

Michael Katz, Regulatory Affairs Specialist

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.